

进深80mm

如需订购乳白色产品，型号后请追加字母"C"，例：CL8-152C

单位/mm

交货期的区分	型号	外形尺寸			铁制基板尺寸				门尺寸		有效进深 X	产品重量 (kg)	价格 (单位:元)
		A(宽度)	B(高度)	C(进深)	F(宽度)	G(高度)	H	I	K	L			
△	CL8-152	150	200	80	100	150	80	130	148	198	63	2.1	502
△	CL8-22	200	"	"	150	"	130	"	198	"	"	2.6	519
△	CL8-23	"	300	"	"	250	"	230	"	298	"	3.6	570

进深120mm

交货期的区分	型号	外形尺寸			铁制基板尺寸				门尺寸		有效进深 X	产品重量 (kg)	价格 (单位:元)
		A(宽度)	B(高度)	C(进深)	F(宽度)	G(高度)	H	I	K	L			
△	CL12-152	150	200	120	100	150	80	130	148	198	103	2.5	478
△	CL12-1525	"	250	"	"	200	"	180	"	248	"	2.9	494
△	CL12-153	"	300	"	"	250	"	230	"	298	"	3.4	522
△	CL12-22	200	200	"	150	150	130	130	198	198	"	3.0	494
△	CL12-225	"	250	"	"	200	"	180	"	248	"	3.6	513
△	CL12-23	"	300	"	"	250	"	230	"	298	"	4.1	541
△	CL12-24	"	400	"	"	350	"	330	"	398	"	5.2	596
△	CL12-25	"	500	"	"	450	"	430	"	498	"	6.3	624
△	CL12-252	250	200	"	200	150	180	130	248	198	"	3.6	507
△	CL12-2525	"	250	"	"	200	"	180	"	248	"	4.2	526
△	CL12-253	"	300	"	"	250	"	230	"	298	"	4.8	563
△	CL12-32	300	200	"	250	150	230	130	298	198	"	4.1	524
△	CL12-325	"	250	"	"	200	"	180	"	248	"	4.8	552
△	CL12-33	"	300	"	"	250	"	230	"	298	"	5.5	591
△	CL12-34	"	400	"	"	350	"	330	"	398	"	7.0	641
△	CL12-43	400	300	"	350	250	330	230	398	298	"	7.0	644
△	CL12-44	"	400	"	"	350	"	330	"	398	"	8.8	730
△	CL12-53	500	300	"	450	250	430	230	498	298	"	8.5	711

进深160mm

交货期的区分	型号	外形尺寸			铁制基板尺寸				门尺寸		有效进深 X	产品重量 (kg)	价格 (单位:元)
		A(宽度)	B(高度)	C(进深)	F(宽度)	G(高度)	H	I	K	L			
△	CL16-152	150	200	160	100	150	80	130	148	198	143	2.8	504
△	CL16-1525	"	250	"	"	200	"	180	"	248	"	3.3	522
△	CL16-153	"	300	"	"	250	"	230	"	298	"	3.8	550
△	CL16-22	200	200	"	150	150	130	130	198	198	"	3.4	522
△	CL16-225	"	250	"	"	200	"	180	"	248	"	4.0	543
△	CL16-23	"	300	"	"	250	"	230	"	298	"	4.6	572
△	CL16-24	"	400	"	"	350	"	330	"	398	"	5.8	646
△	CL16-252	250	200	"	200	150	180	130	248	198	"	4.0	544
△	CL16-2525	"	250	"	"	200	"	180	"	248	"	4.7	567
△	CL16-253	"	300	"	"	250	"	230	"	298	"	5.4	602
△	CL16-32	300	200	"	250	150	230	130	298	198	"	4.6	561
△	CL16-325	"	250	"	"	200	"	180	"	248	"	5.4	589
△	CL16-33	"	300	"	"	250	"	230	"	298	"	6.1	631
△	CL16-34	"	400	"	"	350	"	330	"	398	"	7.7	678
△	CL16-35	"	500	"	"	450	"	430	"	498	"	9.3	744
△	CL16-3525	350	250	"	300	200	280	180	348	248	"	6.2	639
△	CL16-43	400	300	"	350	250	330	230	398	298	"	7.7	694
△	CL16-44	"	400	"	"	350	"	330	"	398	"	9.6	767
△	CL16-45	"	500	"	"	450	"	430	"	498	"	11.6	696
△	CL16-53	500	300	"	450	250	430	230	498	298	"	9.8	748
△	CL16-54	"	400	"	"	350	"	330	"	398	"	11.6	828
△	CL16-55	"	500	"	"	450	"	430	"	498	"	13.9	931

进深**200mm** 如需订购乳白色产品, 型号后请追加字母"C", 例:CL20-22C

单位/mm

交货期的区分	型号	外形尺寸			铁制基板尺寸				门尺寸		有效进深 X	产品重量 (kg)	价格 (单位:元)
		A(宽度)	B(高度)	C(进深)	F(宽度)	G(高度)	H	I	K	L			
△	CL20-22	200	200	200	150	150	130	130	198	198	183	3.8	563
△	CL20-225	"	250	"	"	200	"	180	"	248	"	4.4	589
△	CL20-23	"	300	"	"	250	"	230	"	298	"	5.1	617
△	CL20-252	250	200	"	200	150	180	130	248	198	"	4.4	587
△	CL20-2525	"	250	"	"	200	"	180	"	248	"	5.2	607
△	CL20-253	"	300	"	"	250	"	230	"	298	"	5.9	650
△	CL20-32	300	200	"	250	150	230	130	298	198	"	5.1	604
△	CL20-325	"	250	"	"	200	"	180	"	248	"	5.9	635
△	CL20-33	"	300	"	"	250	"	230	"	298	"	6.7	711
△	CL20-34	"	400	"	"	350	"	330	"	398	"	8.4	731
△	CL20-35	"	500	"	"	450	"	430	"	498	"	10.0	826
△	CL20-43	400	300	"	350	250	330	230	398	298	"	8.4	737
△	CL20-435	"	350	"	"	300	"	280	"	348	"	9.4	815
△	CL20-44	"	400	"	"	350	"	330	"	398	"	10.4	833
△	CL20-45	"	500	"	"	450	"	430	"	498	"	12.5	743
△	CL20-4535	450	350	"	400	300	380	280	448	348	"	10.3	843
△	CL20-53	500	300	"	450	250	430	230	498	298	"	10.1	815
△	CL20-54	"	400	"	"	350	"	330	"	398	"	12.5	896
△	CL20-55	"	500	"	"	450	"	430	"	498	"	14.9	1,006

进深**250mm**

交货期的区分	型号	外形尺寸			铁制基板尺寸				门尺寸		有效进深 X	产品重量 (kg)	价格 (单位:元)
		A(宽度)	B(高度)	C(进深)	F(宽度)	G(高度)	H	I	K	L			
△	CL25-33	300	300	250	250	250	230	230	298	298	233	7.5	761
△	CL25-34	"	400	"	"	350	"	330	"	398	"	9.3	817
△	CL25-43	400	300	"	350	250	330	230	398	298	"	9.3	817
△	CL25-44	"	400	"	"	350	"	330	"	398	"	11.4	896
△	CL25-45	"	500	"	"	450	"	430	"	498	"	13.6	1,004
△	CL25-54	500	400	"	450	350	430	330	498	398	"	13.6	1,002
△	CL25-55	"	500	"	"	450	"	430	"	498	"	17.0	1,115